Contents to volume 261

Research Letters

Structure of the DNA binding wing of the gene-V encoded single-stranded DNA binding protein of the filamentous bacteriophage M13 (FEBS 08056) *J.P.M. van Duynhoven, P.J.M. Folkers, A.P.M. Stassen, B.J.M. Harmsen, R.N.H. Konings, C.W. Hilbers* 1

Ligustrazine selectively blocks ATP-sensitive K^+ channels in mouse pancreatic β cells (FEBS 08061) *C. Peers, P.A. Smith, P.C.G. Nye* 5

Sulfobacillus thermosulfidooxidans: a new lineage of bacterial evolution? (FEBS 08081) *G.I. Karavajko, E.S. Bulygina, I.A. Tsaplina, T.I. Bogdanova, K.M. Chumakov* 8

The thermodynamic characteristic of four-heme cytochrome *c* in *Rhodopseudomonas viridis* reaction centers, as derived from a quantitative analysis of the differential absorption spectra in α-domain (FEBS 08082) *V.P. Shinkarev, A.L. Drachev, S.M. Dracheva* 11

Large scale preparation of homogeneous bacteriorhodopsin (FEBS 08084) *B. Lorber, L.J. DeLucas* 14

Phosphorylation of a bacterial activator protein, OmpR, by a protein kinase, EnvZ, stimulates the transcription of the *ompF* and *ompC* genes in *Escherichia coli* (FEBS 08085) *H. Aiba, T. Mizuno* 19

The ammonium sulfate activation of phosphorylase *b* (FEBS 08086) *D.D. Leonidas, N.G. Oikonomakos, A.C. Papageorgiou, A. Xenakis, C.T. Cazianis, F. Bem* 23

Cluster of point mutations predetermined by a quasipalindromic nucleotide sequence in plasmid pBR322 DNA (FEBS 08090) *R.I. Salganik, G.L. Dianov, O.A. Medvedev* 28

Estrogen synthetase in the horse: Comparison of equine placental and rat liver NADPH-cytochrome *c* (P-450) reductase activities (FEBS 08089) *A. Vibet, T. Dintinger, J.C. Maboundou, J L. Gaillard, D. Divoux, P. Silberzahn* 31

Mitogen-induced oscillations of membrane potential and Ca^{2+} in human fibroblasts (FEBS 08091) *A. Peres, S. Giovannardi* 35

The monocarboxylate carrier from rat liver mitochondria: Purification and kinetic characterization in a reconstituted system (FEBS 08100) *F. Capuano, M. Di Paola, A. Azzi, S. Papa* 39

A novel approach to prediction of the 3-dimensional structures of protein backbones by neural networks (FEBS 08101) *H. Bohr, J. Bohr, S. Brunak, R.M.J. Cotterill, H. Fredholm, B. Lautrup, S.B. Petersen* 43

Species-specific Mn^{2+}/Mg^{2+} antiport from Mg^{2+}-loaded erythrocytes (FEBS 08099) *T. Günther, J. Vormann, E.J. Cragoe, Jr* 47

Identification of α_2- and α_3-subunits of the $GABA_A$–benzodiazepine receptor complex purified from the brains of young rats (FEBS 08102) *K. Fuchs, D. Adamiker, W. Sieghart* 52

Phenethyl alcohol disorders phospholipid acyl chains and promotes translocation of the mitochondrial precursor protein apocytochrome *c* across a lipid bilayer (FEBS 08103) *W. Jordi, R. Nibbeling, B. de Kruijff* 55

Inactivation of the uterine estrogen receptor binding of estradiol during P-450 catalyzed metabolism of chlorotrianisene (TACE): Speculation that TACE antiestrogenic activity involves covalent binding to the estrogen receptor (FEBS 08104) *D. Kupfer, W.H. Bulger* 59

Stimulation of nerve growth factor synthesis/secretion by 1,4-benzoquinone and its derivatives in cultured mouse astroglial cells (FEBS 08117) *R. Takeuchi, K. Murase, Y. Furukawa, S. Furukawa, K. Hayashi* 63

Characterization of the locomotor depression produced by an A_2-selective adenosine agonist (FEBS 08121) *O. Nikodijević, J.W. Daly, K.A. Jacobson* 67

Monoclonal antibodies against the presynaptic calcium channel antagonist ω-conotoxin GVI A from cone snail poison (FEBS 08105) *D. Tombaccini, O.M. Adeyemo, H.B. Pollard, G. Feuerstein* 71

Enzymatic synthesis of dihydrosirohydrochlorin (precorrin-2) and of a novel pyrrocorphin by uroporphyrinogen III methylase (FEBS 08106) *M.J. Warren, N.J. Stolowich, P.J. Santander, C.A. Roessner, B.A. Sowa, A.I. Scott* 76

Retinoid induced changes in cAMP-dependent protein kinase activity detected by a new minigel assay (FEBS 08107) *P. Hohmann, R.S. Greene* 81

Members of the α-amylase inhibitors family from wheat endosperm are major allergens associated with baker's asthma (FEBS 08108) *L. Gómez, E. Martín, D. Hernández, R. Sánchez-Monge, D. Barber, V. del Pozo, B. de Andrés, A. Armentia, C. Lahoz, G. Salcedo, P. Palomino* 85

Translocation of proteins into isolated chloroplasts requires cytosolic factors to obtain import competence (FEBS 08110) *K. Waegemann, H. Paulsen, J. Soll* 89

Functional modes of retinoic acid in mouse osteoblastic clone MC3T3-E1, proved as a target cell for retinoic acid (FEBS 08111) *Y. Nakayama, K. Takahashi, S. Noji, K. Muto, K. Nishijima, S. Taniguchi* 93

Insulin-secreting β-cells possess specific receptors for interleukin-1β (FEBS 08112) *P. Hammonds, M. Beggs, G. Beresford, J. Espinal, J. Clarke, R.J. Mertz* 97

Partial processing of the neuropeptide Y precursor in transfected CHO cells (FEBS 08109) *B.S. Wulff, M.M.T. O'Hare, E. Boel, L.E. Theill, T.W. Schwartz* 101

Allicin, a naturally occurring antibiotic from garlic, specifically inhibits acetyl-CoA synthetase (FEBS 08113) *M. Focke, A. Feld, H.K. Lichtenthaler* 106

Transport of malate and chloride into barley mesophyll vacuoles: Different carriers are involved (FEBS 08114) *E. Martinoia, E. Vogt, N. Amrhein* 109

N^5,N^{10}-Methylenetetrahydromethanopterin dehydrogenase from *Methanobacterium thermoautotrophicum* has hydrogenase activity (FEBS 08115) *C. Zirngibl, R. Hedderich, R.K. Thauer* 112

Synthetic phosphopeptides are substrates for casein kinase II (FEBS 08116) *D.W. Litchfield, A. Arendt, F.J. Lozeman, E.G. Krebs, P.A. Hargrave, K. Palczewski* 117

Reactions of iron(II) nucleotide complexes with hydrogen peroxide (FEBS 08118) *J.D. Rush, Z. Maskos, W.H. Koppenol* 121

Selective blockade of NMDA-activated channel currents may be implicated in learning deficits caused by lead (FEBS 08122) *M. Alkondon, A.C.S. Costa, V. Radhakrishnan, R.S. Aronstam, E.X. Albuquerque* 124

The redox-cycling assay is not suited for the detection of pyrroquinoline quinone in biological samples (FEBS 08123) *R.A. van der Meer, B.W. Groen, J.A. Jongejan, J.A. Duine* 131

Amplification of the Na^+-ATPase of *Streptococcus faecalis* at alkaline pH (FEBS 08126) *Y. Kakinuma, K. Igarashi* 135

Polyamines improve Ca^{2+} transport system of the yeast mitochondria (FEBS 08125) *T.V. Votyakova, E.N. Bazhenova, R.A. Zvjagilskaya* 139

Analysis of PI (phosphatidylinositol)-anchoring antigens in a patient of paroxysmal nocturnal hemoglobinuria (PNH) reveals deficiency of 1F5 antigen (CD59), a new complement-regulatory factor (FEBS 08129) *R. Taguchi, Y. Funahashi, H. Ikezawa, I. Nakashima* 142

A pseudosubstrate peptide inhibits protein kinase C-mediated phosphorylation in permeabilized Rat-1 cells (FEBS 08130) *T. Eichholtz, J. Alblas, M. van Overveld, W. Moolenaar, H. Ploegh* 147

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Contents to volume 261

Research Letters

Structure of the DNA binding wing of the gene-V encoded single-stranded DNA binding protein of the filamentous bacteriophage M13 (FEBS 08056) *J.P.M. van Duynhoven, P.J.M. Folkers, A.P.M. Stassen, B.J.M. Harmsen, R.N.H. Konings, C.W. Hilbers* 1

Ligustrazine selectively blocks ATP-sensitive K^+ channels in mouse pancreatic β cells (FEBS 08061) *C. Peers, P.A. Smith, P.C.G. Nye* 5

Sulfobacillus thermosulfidooxidans: a new lineage of bacterial evolution? (FEBS 08081) *G.I. Karavajko, E.S. Bulygina, I.A. Tsaplina, T.I. Bogdanova, K.M. Chumakov* 8

The thermodynamic characteristic of four-heme cytochrome *c* in *Rhodopseudomonas viridis* reaction centers, as derived from a quantitative analysis of the differential absorption spectra in α-domain (FEBS 08082) *V.P. Shinkarev, A.L. Drachev, S.M. Dracheva* 11

Large scale preparation of homogeneous bacteriorhodopsin (FEBS 08084) *B. Lorber, L.J. DeLucas* 14

Phosphorylation of a bacterial activator protein, OmpR, by a protein kinase, EnvZ, stimulates the transcription of the *ompF* and *ompC* genes in *Escherichia coli* (FEBS 08085) *H. Aiba, T. Mizuno* 19

The ammonium sulfate activation of phosphorylase *b* (FEBS 08086) *D.D. Leonidas, N.G. Oikonomakos, A.C. Papageorgiou, A. Xenakis, C.T. Cazianis, F. Bem* 23

Cluster of point mutations predetermined by a quasipalindromic nucleotide sequence in plasmid pBR322 DNA (FEBS 08090) *R.I. Salganik, G.L. Dianov, O.A. Medvedev* 28

Estrogen synthetase in the horse: Comparison of equine placental and rat liver NADPH-cytochrome *c* (P-450) reductase activities (FEBS 08089) *A. Vibet, T. Dintinger, J.C. Maboundou, J L. Gaillard, D. Divoux, P. Silberzahn* 31

Mitogen-induced oscillations of membrane potential and Ca^{2+} in human fibroblasts (FEBS 08091) *A. Peres, S. Giovannardi* 35

The monocarboxylate carrier from rat liver mitochondria: Purification and kinetic characterization in a reconstituted system (FEBS 08100) *F. Capuano, M. Di Paola, A. Azzi, S. Papa* 39

A novel approach to prediction of the 3-dimensional structures of protein backbones by neural networks (FEBS 08101) *H. Bohr, J. Bohr, S. Brunak, R.M.J. Cotterill, H. Fredholm, B. Lautrup, S.B. Petersen* 43

Species-specific Mn^{2+}/Mg^{2+} antiport from Mg^{2+}-loaded erythrocytes (FEBS 08099) *T. Günther, J. Vormann, E.J. Cragoe, Jr* 47

Identification of α_2- and α_3-subunits of the $GABA_A$–benzodiazepine receptor complex purified from the brains of young rats (FEBS 08102) *K. Fuchs, D. Adamiker, W. Sieghart* 52

Phenethyl alcohol disorders phospholipid acyl chains and promotes translocation of the mitochondrial precursor protein apocytochrome *c* across a lipid bilayer (FEBS 08103) *W. Jordi, R. Nibbeling, B. de Kruijff* 55

Inactivation of the uterine estrogen receptor binding of estradiol during P-450 catalyzed metabolism of chlorotrianisene (TACE): Speculation that TACE antiestrogenic activity involves covalent binding to the estrogen receptor (FEBS 08104) *D. Kupfer, W.H. Bulger* 59

Stimulation of nerve growth factor synthesis/secretion by 1,4-benzoquinone and its derivatives in cultured mouse astroglial cells (FEBS 08117) *R. Takeuchi, K. Murase, Y. Furukawa, S. Furukawa, K. Hayashi* 63

Characterization of the locomotor depression produced by an A_2-selective adenosine agonist (FEBS 08121) *O. Nikodijević, J.W. Daly, K.A. Jacobson* 67

Monoclonal antibodies against the presynaptic calcium channel antagonist ω-conotoxin GVI A from cone snail poison (FEBS 08105) *D. Tombaccini, O.M. Adeyemo, H.B. Pollard, G. Feuerstein* 71

Enzymatic synthesis of dihydrosirohydrochlorin (precorrin-2) and of a novel pyrrocorphin by uroporphyrinogen III methylase (FEBS 08106) *M.J. Warren, N.J. Stolowich, P.J. Santander, C.A. Roessner, B.A. Sowa, A.I. Scott* 76

Retinoid induced changes in cAMP-dependent protein kinase activity detected by a new minigel assay (FEBS 08107) *P. Hohmann, R.S. Greene* 81

Members of the α-amylase inhibitors family from wheat endosperm are major allergens associated with baker's asthma (FEBS 08108) *L. Gómez, E. Martín, D. Hernández, R. Sánchez-Monge, D. Barber, V. del Pozo, B. de Andrés, A. Armentia, C. Lahoz, G. Salcedo, P. Palomino* 85

Translocation of proteins into isolated chloroplasts requires cytosolic factors to obtain import competence (FEBS 08110) *K. Waegemann, H. Paulsen, J. Soll* 89

Functional modes of retinoic acid in mouse osteoblastic clone MC3T3-E1, proved as a target cell for retinoic acid (FEBS 08111) *Y. Nakayama, K. Takahashi, S. Noji, K. Muto, K. Nishijima, S. Taniguchi* 93

Insulin-secreting β-cells possess specific receptors for interleukin-1β (FEBS 08112) *P. Hammonds, M. Beggs, G. Beresford, J. Espinal, J. Clarke, R.J. Mertz* 97

Partial processing of the neuropeptide Y precursor in transfected CHO cells (FEBS 08109) *B.S. Wulff, M.M.T. O'Hare, E. Boel, L.E. Theill, T.W. Schwartz* 101

Allicin, a naturally occurring antibiotic from garlic, specifically inhibits acetyl-CoA synthetase (FEBS 08113) *M. Focke, A. Feld, H.K. Lichtenthaler* 106

Transport of malate and chloride into barley mesophyll vacuoles: Different carriers are involved (FEBS 08114) *E. Martinoia, E. Vogt, N. Amrhein* 109

N^5,N^{10}-Methylenetetrahydromethanopterin dehydrogenase from *Methanobacterium thermoautotrophicum* has hydrogenase activity (FEBS 08115) *C. Zirngibl, R. Hedderich, R.K. Thauer* 112

Synthetic phosphopeptides are substrates for casein kinase II (FEBS 08116) *D.W. Litchfield, A. Arendt, F.J. Lozeman, E.G. Krebs, P.A. Hargrave, K. Palczewski* 117

Reactions of iron(II) nucleotide complexes with hydrogen peroxide (FEBS 08118) *J.D. Rush, Z. Maskos, W.H. Koppenol* 121

Selective blockade of NMDA-activated channel currents may be implicated in learning deficits caused by lead (FEBS 08122) *M. Alkondon, A.C.S. Costa, V. Radhakrishnan, R.S. Aronstam, E.X. Albuquerque* 124

The redox-cycling assay is not suited for the detection of pyrroquinoline quinone in biological samples (FEBS 08123) *R.A. van der Meer, B.W. Groen, J.A. Jongejan, J.A. Duine* 131

Amplification of the Na^+-ATPase of *Streptococcus faecalis* at alkaline pH (FEBS 08126) *Y. Kakinuma, K. Igarashi* 135

Polyamines improve Ca^{2+} transport system of the yeast mitochondria (FEBS 08125) *T.V. Votyakova, E.N. Bazhenova, R.A. Zvjagilskaya* 139

Analysis of PI (phosphatidylinositol)-anchoring antigens in a patient of paroxysmal nocturnal hemoglobinuria (PNH) reveals deficiency of 1F5 antigen (CD59), a new complement-regulatory factor (FEBS 08129) *R. Taguchi, Y. Funahashi, H. Ikezawa, I. Nakashima* 142

A pseudosubstrate peptide inhibits protein kinase C-mediated phosphorylation in permeabilized Rat-1 cells (FEBS 08130) *T. Eichholtz, J. Alblas, M. van Overveld, W. Moolenaar, H. Ploegh* 147

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Acidic phospholipids directly inhibit DNA binding of mammalian DNA topoisomerase I (FEBS 08133) *H. Tamura, Y. Ikegami, K. Ono, K. Sekimizu, T. Andoh* 151
Sphingomyelin is synthesized in the *cis* Golgi (FEBS 08131) *D. Jeckel, A. Karrenbauer, R. Birk, R.R. Schmidt, F. Wieland* 155
The two oxygen-regulated subunits of cytochrome *c* oxidase in *Dictyostelium discoideum* derive from a common ancestor (FEBS 08083) *R.A. Capaldi, Y.-Z. Zhang, R. Rizzuto, D. Sandonà, G. Schiavo, R. Bisson* 158
Synthesis of 8-N_3-[2'-^{32}P]NADP(H), a new photoaffinity label for NADP(H)-specific enzymes (FEBS 08080) *A.F. Hartog, J.A. Berden* 161
Vanadyl-induced Fenton-like reaction in RNA: An ESR and spin trapping study (FEBS 08093) *A.J. Carmichael* 165
Group II phospholipase A_2 mRNA synthesis is stimulated by two distinct mechanisms in rat vascular smooth muscle cells (FEBS 08095) *T. Nakano, O. Ohara, H. Teraoka, H. Arita* 171
Transforming growth factor-β regulates the splicing pattern of fibronectin messenger RNA precursor (FEBS 08096) *L. Borsi, P. Castellani, A.M. Risso, A. Leprini, L. Zardi* 175
Further studies on the human pancreatic binary complexes involving procarboxypeptidase A (FEBS 08092) *M. Moulard, T. Michon, B. Kerfelec, C. Chapus* 179
Presence of immunoreactive endothelin in human milk (FEBS 08097) *H.-C. Lam, K. Takahashi, M.A. Ghatei, S.R. Bloom* 184
Simultaneous recordings of glucose dependent electrical activity and ATP-regulated K^+-currents in isolated mouse pancreatic β-cells (FEBS 08124) *P.A. Smith, F.M. Ashcroft, P. Rorsman* 187
Investigation of models for photosynthetic electron acceptors: Infrared spectroelectrochemistry of ubiquinone and its anions (FEBS 08127) *M. Bauscher, E. Nabedryk, K. Bagley, J. Breton, W. Mäntele* 191
Cloning and sequencing of the gene encoding cytochrome *c*-551 from *Pseudomonas aeruginosa* (FEBS 08128) *H. Arai, Y. Sanbongi, Y. Igarashi, T. Kodama* 196
Membrane-bound $F_{420}H_2$-dependent heterodisulfide reductase in methanogenic bacterium strain Gö1 and *Methanolobus tindarius* (FEBS 08134) *U. Deppenmeier, M. Blaut, A. Mahlmann, G. Gottschalk* 199
The primary structure of the γ-subunit of the ATPase from *Synechocystis* 6803 (FEBS 08135) *S. Werner, J. Schumann, H. Strotmann* 204

Book Reviews 209

Errata and Corrigenda 217

Notes to Authors 219

Announcement 221

Review Hypothesis

An element of symmetry in yeast TATA-box binding protein transcription factor IID: Consequence of an ancestral duplication? (FEBS 08132) *R. Stucka, H. Feldmann* 223

Research Letters

On the purification of notexin: Isolation of a single amino acid variant from the venom of *Notechis scutatus scutatus* (FEBS 08087) *S. Chwetzoff, P. Mollier, F. Bouet, E.G. Rowan, A.L. Harvey, A. Ménez* 226
Mapping the copper ligands of Cu,Zn superoxide dismutase by nuclear Overhauser enhancement of the isotropically shifted ^{1}H-NMR lines of the Cu,Co derivative (FEBS 08033) *M. Paci, A. Desideri, M. Sete, M. Falconi, G. Rotilio* 231
A factor that specifically binds to the 5'-untranslated region of encephalomyocarditis virus RNA (FEBS 08136) *A.V. Borovjagin, A.G. Evstafieva, T.Yu. Ugarova, I.N. Shatsky* 237
Modulation of the affinity of aspartic proteases by the mutated residues in active site models (FEBS 08139) *A. Goldblum* 241
Characterization of a cytotoxin-like basic protein from the cobra (*Naja naja naja*) venom (FEBS 08098) *J. Shafqat, Z.H. Zaidi, H. Jörnvall* 245
Monoclonal antibodies to lipocortin-1 as probes for biological function (FEBS 08143) *R.B. Pepinsky, L.K. Sinclair, I. Dougas, C.-M. Liang, P. Lawton, J.L. Browning* 247
Granulosa cells as a source and target organ for tumor necrosis factor-α (FEBS 08140) *M. Zolti, R. Meirom, M. Shemesh, D. Wollach, S. Mashiach, L. Shore, Z. Ben Rafael* 253
Exercise modulates the insulin-induced translocation of glucose transporters in rat skeletal muscle (FEBS 08147) *A.G. Douen, T. Ramlal, G.D. Cartee, A. Klip* 256
Acetyl-CoA carboxylase: a rapid novel assay procedure used in conjunction with the preparation of enzyme from maize leaves (FEBS 08146) *J.L. Howard, S.M. Ridley* 261
A new class of calcium channels activated by glucose in human pancreatic β-cells (FEBS 08138) *E. Rojas, J. Hidalgo, P.B. Carroll, M.X. Li, I. Atwater* 265
Uptake and degradation of virus-associated fluorescent sulfatide by skin fibroblasts (FEBS 08141) *A. Rousseau, S. Gatt* 271
Effect of the multicatalytic proteinase (prosome) on translational activity in rabbit reticulocyte lysates (FEBS 08142) *L. Kuehn, B. Dahlmann, F. Kopp* 274
Absence of tryptophan fluorescence quenching by metal cations in delipidated bacteriorhodopsin (FEBS 08148) *D.-J. Jang, R. van den Berg, M.A. El-Sayed* 279
Expression of the pS2 gene in human gastric cancer cells derived from poorly differentiated adenocarcinoma (FEBS 08149) *H. Takahashi, N. Kida, R. Fujii, K. Tanaka, M. Ohta, K. Mori, K. Hayashi* 283
The structural elements of hirudin which bind to the fibrinogen recognition site of thrombin are exclusively located within its acidic C-terminal tail (FEBS 08150) *J.-Y. Chang, P.K. Ngai, H. Rink, S. Dennis, J.-M. Schlaeppi* 287
Rapid up- and down-regulation of hexokinase II in rat skeletal muscle in response to altered contractile activity (FEBS 08144) *F.E. Weber, D. Pette* 291
Identification of a G_s-protein coupling domain to the β-adereneoceptor using site-specific synthetic peptides: Carboxyl terminus of $G_{\alpha s}$ is involved in coupling to β-adrenoceptors (FEBS 08151) *D. Palm, G. Münch, D. Malek, C. Dees, M. Hekman* 294
Alternative splicing gives rise to two forms of the p68 Ca^{2+}-binding protein (FEBS 08153) *S.E. Moss, M.J. Crumpton* 299
A 15 kDa proteolipid found in mediatophore preparations from *Torpedo* electric organ presents high sequence homology with the bovine chromaffin granule protonophore (FEBS 08155) *S. Birman, F.-M. Meunier, B. Lesbats, J.-P. Le Caer, J. Rossier, M. Israël* 303
Potentiation of angiotensin II-stimulated phosphoinositide hydrolysis, calcium mobilization and contraction of renal mesangial cells upon down-regulation of protein kinase C (FEBS 08154) *J. Pfeilschifter, J. Fandrey, M. Ochsner, S. Whitebread, M. de Gasparo* 307
Human blood group A and H glycolipids in porcine plasma: Evidence for acquisition of the erythrocyte antigens from plasma (FEBS 08167) *G. Hanagata, S. Gasa, F. Sako, A. Makita* 312
Cycle-related LHRH responsiveness of superfused pituitary cells in a Phenol red free medium (FEBS 08094) *J.L. O'Conner, T.A. Kellom* 315
Cytotoxic activity of tumor necrosis factor is inhibited by amiloride derivatives without involvement of the Na^+/H^+ antiporter (FEBS 08157) *B. Vanhaesebroeck, E.J. Cragoe jr, J. Pouysségur, R. Beyaert, F. Van Roy, W. Fiers* 319
Ca^{2+}-dependent noradrenaline release from permeabilised PC12 cells is blocked by botulinum neurotoxin A or its light chain (FEBS 08158) *C. McInnes, J.O. Dolly* 323
One of the endothelin gene family, endothelin 3 gene, is expressed in the placenta (FEBS 08160) *H. Onda, S. Ohkubo, K. Ogi, T. Kosaka, C. Kimura, H. Matsumoto, N. Suzuki, M. Fujino* 327

An activating combination of CD2 antibodies stimulates tyrosine phosphorylation in a T lymphocyte cell line (FEBS 08161) *J.E. Casnellie, R.E. Thom* 331
Stimulatory effect of ammonium sulfate at high concentrations on the aminoacylation of tRNA and tRNA-like molecules (FEBS 08162) *C. Florentz, D. Kern, R. Giege* 335
CD4-like molecules in human sperm (FEBS 08163) *B. Gobert, C. Amiel, J. Tang, P. Barbarino, M.C. Béné, G. Faure* 339
De novo protein synthesis is essential to human interferon γ gene expression by the stimulation with polyI:polyC (FEBS 08164) *M. Tamura-Nishimura, S. Sasakawa* 343
Monoclonal antibodies against the human lymphocyte differentiation antigen CD 76 bind to gangliosides (FEBS 08168) *B. Kniep, P.F. Mühlradt, B. Dörken, G. Moldenhauer, R. Vilella, R. Schwartz-Albiez* 347
ADP-ribosylated elongation factor 2 (ADP-ribosyl-EF-2) is unable to promote translocation within the ribosome (FEBS 08169) *E.K. Davydova, L.P. Ovchinnikov* 350
The formyl peptide chemoattractant receptor is encoded by a 2 kilobase messenger RNA: Expression in *Xenopus* oocytes (FEBS 08170) *P.M. Murphy, E.K. Gallin, H.L. Tiffany, H.L. Malech* 353
Mapping of a dominant immunogenic region of synaptophysin, a major membrane protein of synaptic vesicles (FEBS 08145) *P. Knaus, H. Betz* 358
Protein chemical analysis of purified murine lamin B identifies two distinct polypeptides B1 and B2 (FEBS 08156) *K. Weber, U. Plessmann, P. Traub* 361
Ubiquitinated protein conjugates are specifically enriched in the lysosomal system of fibroblasts (FEBS 08166) *L. Laszlo, F.J. Doherty, N.U. Osborn, R.J. Mayer* 365
The first observation of O_2^- generation in in situ lungs of rats treated with drugs to induce experimental acute respiratory distress syndrome (FEBS 08171) *A. Takahashi, M. Nakano, S. Mashiko, H. Inaba* 369
In vitro inhibition of HIV-1 proteinase by cerulenin (FEBS 08165) *K. Moelling, T. Schulze, M.-T. Knoop, J. Kay, R. Jupp, G. Nicolaou, L.H. Pearl* 373
Rapid increase in inositol pentakisphosphate accumulation by nicotine in cultured adrenal chromaffin cells (FEBS 08172) *N. Sasakawa, T. Nakaki, R. Kato* 378
Identification in human erythrocytes of mono(ADP-ribosyl) protein hydrolase that cleaves a mono(ADP-ribosyl) G_i linkage (FEBS 08173) *S. Tanuma, H. Endo* 381
Modified reaction centers from *Rhodobacter sphaeroides* R26: Exchange of monomeric bacteriochlorophyll with 13^2-hydroxy-bacteriochlorophyll (FEBS 08174) *A. Struck, H. Scheer* 385
Energy transfer in complexes of *E. coli* single-stranded DNA-binding protein with single-stranded poly-(2-thiouridylic acid) (FEBS 08175) *D.H.H. Tsao, A.H. Maki, J.W. Chase* 389
Structure-function analysis of epidermal growth factor: site directed mutagenesis and nuclear magnetic resonance (FEBS 08176) *T.J. Dudgeon, R.M. Cooke, M. Baron, I.D. Campbell, R.M. Edwards, A. Fallon* 392
Locustatachykinin I and II, two novel insect neuropeptides with homology to peptides of the vertebrate tachykinin family (FEBS 08177) *L. Schoofs, G.M. Holman, T.K. Hayes, R.J. Nachman, A. De Loof* 397
Evidence for two independent pathways in the stimulation of steroidogenesis by luteinizing hormone involving chloride channels and cyclic AMP (FEBS 08178) *M.S.K. Choi, B.A. Cooke* 402
Escherichia coli of human origin binds to carcinoembryonic antigen (CEA) and non-specific crossreacting antigen (NCA) (FEBS 08179) *H.-G. Leusch, S.A. Hefta, Z. Drzeniek, K. Hummel, Z. Markos-Pusztai, C. Wagener* 405
Isolation of a protein with cytokinin-receptor properties by means of anti-idiotype antibodies (FEBS 08181) *O.N. Kulaeva, N.N. Karavaiko, I.E. Moshkov, S.Yu. Selivankina, G.V. Novikova* 410
Adenylyl cyclase activity of the fission yeast *Schizosaccharomyces pombe* is not regulated by guanyl nucleotides (FEBS 08180) *D. Engelberg, E. Poradosu, G. Simchen, A. Levitzki* 413
Binding of GTP to transducin is not inhibited by arrestin and phosphorylated rhodopsin (FEBS 08182) *Y. Fukada, T. Yoshizawa, T. Saito, H. Ohguro, T. Akino* 419
Primary structure of scorpion anti-insect toxins isolated from the venom of *Leiurus quinquestriatus quinquestriatus* (FEBS 08183) *C. Kopeyan, P. Mansuelle, F. Sampieri, T. Brando, E.M. Bahraoui, H. Rochat, C. Granier* 423
Evidence for a unique Rieske iron-sulphur centre in *Heliobacterium chlorum* (FEBS 08186) *U. Liebl, A.W. Rutherford, W. Nitschke* 427
Are there isoenzymes of cytochrome *c* oxidase in *Paracoccus denitrificans*? (FEBS 08185) *M. Raitio, J.M. Pispa, T. Metso, M. Saraste* 431
Complete purification of two identical Na^+-pump inhibitors isolated from bovine hypothalamus and hypophysis (FEBS 08187) *M. Illescas, M. Ricote, E. Mendez, R. G-Robles, J. Sancho* 436
Reductive trapping of substrate to methylamine oxidase from *Arthrobacter* P1 (FEBS 08190) *C. Hartmann, J.P. Klinman* 441
Calmodulin antagonists inhibit the phytochrome-induced appearance of two nuclear encoded transcripts in radish cotyledons (FEBS 08191) *P. Fourcroy, S. Pronost, D. Klein-Eude* 445
Proline residues undergo structural changes during proton pumping in bacteriorhodopsin (FEBS 08192) *K. Gerwert, B. Hess, M. Engelhard* 449
A conserved cleavage-site motif in chloroplast transit peptides (FEBS 08193) *Y. Gavel, G. von Heijne* 455
Insulin-responsive glucose transporters are concentrated in a cell surface-derived membrane fraction of 3T3-L1 adipocytes (FEBS 08188) *K. Lange, U. Brandt* 459
Interactions between *Salmonella typhimurium* lipopolysaccharide and the antimicrobial peptide, magainin 2 amide (FEBS 08054) *F.R. Rana, C.M. Sultany, J. Blazyk* 464

Author Index 468

Contents to volume 474

Notes to Authors 477

Announcement 479